Amendments to the Claims:

This listing of claims will replace all prior versions, and listing, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A method comprising:

receiving, via one of a plurality of different types of input/output (I/O) communication modules of[[at]] an appliance communications manager that stands apart from a number of source and destination appliances, a connection request from a first source appliance;

receiving at the appliance communications managermanager, destination appliance communication information for a <u>first</u> destination appliance;

receiving at the appliance communications managermanager, a communication message from the first source appliance:

storing the communication message in a data memory of the appliance communications manager;

establishing, via one of the plurality of different types of I/O communication modules of the appliance communications manager, a communication link with the <u>first</u> destination appliance; and

transferring the stored communication message to the <u>first</u> destination appliance via the communication link.

Claim 2 (currently amended): The method of claim 1, wherein:

receiving a communication message comprises receiving a communication message via a first communication technology and a first one of said I/O communication modules; and

establishing a communication link comprises establishing a communication link havingvia a second communication technology and a second one of said I/O

Appl. No. 10/681,542 Response dated August 18, 2004 Reply to Office Action of May 20, 2004

<u>communication modules</u>, the second communication technology <u>being</u> different than the first communication technology.

Claim 3 (currently amended): The method of claim 1, wherein establishing athe communication link comprises establishing, via the appliance communications manager, [[a]]an infrared communication link using one of said I/O communication modules one of an infrared input/output (I/O) driver and a short-wave radio module.

Claim 4 (currently amended): The method of claim 1, wherein establishing the communication link comprises establishing, via the appliance communications manager, thean analog cellular communication link using one of said I/O communication modules an analog cellular I/O module.

Claim 5 (currently amended): The method of claim 1, wherein establishing the communication link comprises establishing, via the appliance communications manager, the a digital cellular communication link using one of said I/O communication modules one of a digital cellular I/O module and an internet I/O driver.

Claim 6 (currently amended): The method of claim 1, wherein the <u>first</u> source appliance comprises one of a printer, a scanner, a facsimile machine, an overhead projector, an appliance storage device, and an appliance whiteboard.

Claim 7 (currently amended): An apparatus comprising:

a firstplurality of input/output (I/O) communication module modules of different types to receive [[a]]i) connection requestrequests from a plurality of source appliances, ii) destination appliance communication information for a plurality of destination appliancea, and [[a]]iii) communication message, messages from [[a]]said source applianceappliances;

data memory to store the communication <u>messagemessages</u> received from the source <u>applianceappliances</u>; <u>and</u>

Appl. No. 10/681,542 Response dated August 18, 2004 Reply to Office Action of May 20, 2004

a processor to access the data memory-and to, to establish [[a]]communication linklinks with the destination appliance appliances that are subjects of said received connection requests, and[[;]]

a second I/O communication module to transfer the stored communication messagemessages to the destination appliance appliances via the communication linklinks.

Claim 8 (currently amended): The apparatus of claim 7, wherein the first and second I/O communication module comprises amodules, respectively interfacing with source and destination appliances that are parties to a communication, implement different communication technology than the second I/O communication module technologies.

Claim 9 (currently amended): The apparatus of claim 7, wherein one of the first I/O communication module comprises one of modules provides an infrared I/O driver and a short-wave radio I/O module.

Claim 10 (currently amended): The apparatus of claim 7, wherein one of the first I/O communication medule modules comprises an analog cellular I/O module.

Claim 11 (currently amended): The apparatus of claim 7, wherein one of the first I/O communication module comprises one of a digital cellular I/O module and an internet I/O driver.

Claim 12 (currently amended): A system comprising:

a source appliance to transmit a connection request, destination appliance communication information for a destination appliance, and a communication message, to an appliance communications manager that stands apart from said source and destination appliances;

the appliance communications manager including i) a plurality of different types of input/output (I/O) communication modules from which one or more I/O communication modules for communicating with said source and destination appliances are selected, and ii) a data memory to store the communication message

received from the source appliance, the appliance communications manager to transfer the stored communication message to the destination appliance; and

the destination appliance to receive the communication message from the appliance communications manager.

Claim 13 (previously presented): The system of claim 12, wherein the source appliance comprises one of a printer, a scanner, a facsimile machine, an overhead projector, an appliance storage device, and an appliance whiteboard.

Claim 14 (new): The method of claim 1, wherein establishing the communication link comprises establishing, via the appliance communications manager, a short-wave radio communication link using one of said I/O communication modules.

Claim 15 (new): The method of claim 1, wherein establishing the communication link comprises establishing, via the appliance communications manager, an internet communication link using one of said I/O communication modules.

Claim 16 (new): The apparatus of claim 7, wherein one of the I/O communication modules provides a short-wave radio I/O module.

Claim 17 (new): The apparatus of claim 7, wherein one of the I/O communication modules comprises an internet I/O driver.